(12) UK Patent Application (19) GB (11) 2090 526 A

- (21) Application No 8136440
- (22) Date of filing 3 Dec 1981
- (30) Priority data
- (31) 8025745
- (32) 4 Dec 1980
- (33) France (FR)
- (43) Application published 14 Jul 1982
- (51) INT CL3 A61K 7/00 7/42 7/021
- (52) Domestic classification A5B 161 FE FF FH
- (56) Documents cited
- None
- (58) Field of search A5B (71) Applicant
- L'Oreal 14 rue Royale 75008 Paris France
- (72) Inventors
 Alain Brun
 Constantin Koulbanis
 Catherine Millet
- (74) Agents
 J A Kemp & Co
 14 South Square
 Gray's Inn
 London WC1R 5EU

- (54) Cosmetic oil based on a mixture of vegetable oils
- (57) Cosmetic compositions contain, in the form of a binary mixture, hazelnut oil and another vegetable oil taken from the group comprising parasol pine oil and groundnut oil.

SPECIFICATION

Cosmetic oil	hased	on	а	mixture	of	vegetable	oils
Cosmenc on	uaseu	vII	a	IIIIALUIG	•	* - 9 - 10 - 10	U113

٤	The present invention relates to a cosmetic composition based on a binary mixture of vegetable oils.	5
	The oils generally used in cosmetics, or "cosmetic oils", are grease products which are liquid at ambient temperature and have a low volatility.	
10	These oils can be of very diverse origin and, in particular, can be vegetable or animal oils, mineral oils or, also, synthetic oils.	10
	Depending on their origin, these oils are capable of leaving a more or less greasy film on the skin. It is generally considered that if the film is particularly greasy, the oil is non-penetrating and prevents the skin from drying out by virtue of its occlusive properties.	
15	Thus, vaseline oil (liquid petrolatum) leaves a very greasy film on the skin, which has the disadvantage both of drawing excess moisture from the skin and of giving it a tacky or sticky feel and a shiny appearance considered to be particularly unattractive.	15
	Other oils, referred to as penetrating oils, do not have this particularly greasy character of vaseline oil and leave a non-greasy film on the skin, but nevertheless have the disadvantage of	•
20		20
	disadvantages referred to above, insofar as it does not leave a film of excessively shiny appearance, which can be unattractive, on the skin. Furthermore, the film left on the skin has a protective effect against external factors such as	
0.5	the sun, the wind, and the cold, and, whilst preventing the skin from drying out, is not sufficiently occlusive to draw excess moisture from the skin.	25
25	By virtue of its properties, namely the formation of a relatively non-greasy and relatively non-occusive film, the mixture according to the invention has a particular application in certain cosmetic compositions containing a high proportion of oils, such as sun products and, in	25
30	particular, sun oils.	30
	being present in the form of a binary mixture of hazelnut oil and another vegetable oil taken from the group comprising parasol pine oil (pinus pines) and groundnut oil. These oils have already been proposed in cosmetics, but specified mixtures have never been	
35	recommended. It has been found through numerous experiments that only mixtures containing a proportion	35
	of hazelnut oil are capable of lending to the desired cosmetic properties. In fact, mixtures of groundnut oil and pine oil, used in different proportions, have proved to be rather unsatisfactory from the cosmetic point of view.	
40	Furthermore, these experiments have also made it possible to establish that it is desirable to use these mixtures of oils in relatively well-defined proportions. Thus, whether the mixture is a mixture of hazelnut oil and parasol pine oil or a mixture of hazelnut oil and groundnut oil, it is preferable to use these mixtures in a weight ratio of 20:80	40
45	to 80:20. According to the invention, the hazelnut oil, the parasol pine oil and the groundnut oil should preferably have the following characteristics:	45
	Hazelnut Oil: specific gravity: 0.911–0.917	
50	refractive index at 20°C: 1.469–1.472 saponification number: 187–197 iodine number: 83–103	50
	unsaponifiable: 0.3–0.7%	
55	Parasol Pine Oil: specific gravity: 0.920-0.932 refractive index at 40°C: 1.467-1.469	55
	saponification number: 192–198 jodine number: 118–125	
60	unsaponifiable fraction: 0.5–2%	60
	Groundnut Oil: specific gravity: 0.914-0.920	
	refractive index at 20°C: 1.470–1.474 saponification number: 188–196	
65	iodine number 85–108	65

..65

	unsaponifiable fraction: 0.6-1% The cosmetic compositions in which the binary mixture of vegetable oils can be used may, in	
	general, be any cosmetic composition containing oil. Preferably, these compositions contain at least 10% of the binary mixture such as defined	_
5	above. Amongst these compositions, there may be mentioned those which are presented in the form of fluid emulsions (milks), in the form of lotions or in the form of thicker emulsions, such as	5
10	creams. These compositions include milks or emollient creams, milks or creams for the care of the hands, the body or the face, make-up removal creams or milks, make-up foundation bases, antisunburn milks or creams, artificial tanning milks or creams, antiperspirant milks or creams,	10
	shaving creams or foams, pre-shave lotions or also milks or creams for the care of babies' skin. These compositions can be make-up products such as lip products in stick form, intended either for colouring the lips (lipsticks) or for preventing chapped lips, eye make-up compositions	-
15	and rouges.	15
	The cosmetic compositions in the form of solutions, according to the prevent invention, are in particular anti-sunburn oils, that is to say oils containing, in addition to the cosmetic oil, a sun filter which absorbs ultraviolet radiation, hand oils, pre-shave or after-shave oils and bath oils. In general, in such compositions in the form of solutions, the proportion of the binary mixture	·
20	of vegetable oils is from 10 to 99.9% of the total weight of the composition. In the cosmetic compositions in the form of emulsions or lotions, according to the invention, the binary mixture of vegetable oils is generally present in an amount of 10 to 60% by weight, relative to the total weight of the composition.	20
25	In the make-up compositions, the amount of the binary mixture of vegetable oils is generally 10 to 80% of the total weight of the composition. The compositions according to the invention generally contain other ingredients such as	25
	preservatives, antioxidants, perfumes, colouring agents and the like as well as mineral, animal or synthetic oils but not vegetable oils other than those specified. In order to demonstrate the good properties of the cosmetic oil according to the invention, the	
30	following experiments were carried out: The same amount of one of the following oils or of one of the following binary mixtures of oils was applied to the skin on the back of the hands of volunteers:	30
	1) hazelnut oil	
35	parasol pine oil groundnut oil	35
35	4) 20% of hazelnut oil/80% of parasol pine oil	00
	5) 40% of hazelnut oil/60% of parasol pine oil	
	6) 50% of hazelnut oil/50% of parasol pine oil 7) 60% of hazelnut oil/40% of parasol pine oil	
40		·40
	9) 20% of hazelnut oil/80% of groundnut oil	
	10) 40% of hazelnut oil/60% of groundnut oil 11) 50% of hazelnut oil/50% of groundnut oil	
	12) 60% of hazelnut oil/40% of groundnut oil	
45	13) 80% of hazlenut oil/20% of groundnut oil	45
	After application, these volunteers, without knowing the origin of the various oils applied, assigned a grade from 0 to 10 thereto, as a function of certain criteria, a high grade	
	corresponding to rapid penetration, to a relatively non-shiny appearance and to a relatively non-	
	greasy feel.	•
50	These criteria were as follows:	50 .
	1) Rate of penetration: rapid (10 to 6.5), low (6.5 to 4.5), very low (4.5 to 1), 2) Appearance of the skin after application: very shiny (4.5 to 1), shiny (6.5 to 4.5), relatively	
	non-shiny (slightly shiny) (10 to 6.5),	
	3) Feel after application: very greasy (4.5 to 1), greasy (6.5 to 4.5), relatively non-greasy	
55	(slightly greasy) (10 to 6.5). The average grade obtained is shown in the following Table:	55
	The deciage grade obtained is shown in the following Table.	-
		•
60	Oil or mixture 1 2 3 4 5 6 7 8 9 10 11 12 13	- 60 -
00	Average grade 6.64 6.61 6.94 3.94 4.50 4.33 3.89 4.44 4.11 4 5.11 4.39 4.56	
	-	

Wariance analysis and the Student's test applied to this experiment show that the difference in 65 grading between the oils 1, 2 and 3 and the mixtures of oils 4 to 13, according to the

	invention, is s	significant. ng Examples further illustrate the	present invention.		
	EXAMPLE 1:	Body oil			_
5	270 11111 22 11	hazelnut oil	40 g		5
•		parasol pine oil	59.8 g		
		butylhydroxyanisole	0.1 g		
		butylhydroxytoluene	0.1 g		
10	EXAMPLE 2:	Sun oil		1	10
		hazelnut oil	47.4 g		
		groundnut oil	47.4 g '		
		"parsol ultra" sun filter	E		
		sold by GIVAUDAN	5 g · 0.1 g		15
15		butylhydroxyanisole	0.1 g 0.1g	•	
		butylhydroxytoluene	U. Ig		
	EXAMPLE 3:	Face-care cream	10 g		
		hazelnut oil	10 g		20
20		parasol pine oil	12 g .	•	-0
		self-emuslifiable glycerol	5 g		
		monostearate	3 g 4 g		
		perhydrosqualene carboxyvinylic polymer	7 9		
٥.		(Carbopol 940)	0.4 g	2	25
25		triethanolamine	0.4 g		
		butylhydroxyanisole	0.1 g		
		butylhydroxytoluene	0.1 g		
		perfume q.s.p.	_		
30		water + preservative q.s.p.	100 g	:	30
	EXAMPLE 4:	Body milk	•	-	
		hazelnut oil	1 <u>0</u> g		
		groundnut oil	5 g		35
35		mixture of lanoline alcohols		3	ນ
	•	and lanoline sterols, sold by			
		American Cholesterol Products		•	
		under the name "Amerchol	0.3 g	•	
		L 101" stearic acid	1.4 g	•	10
40		self-emulsifiable glycerol	3	•	
		monostearate	2 g	1	
		cetyl alcohol	0.2 g		
		triethanolamine	0.95 g		. –
45		carboxyvinylic polymer		4	15
		(Carbopol 941)	0.25 g		
		propylene glycol	2 g		
		butylhydroxyanisole	0.1 g		
		butylhydroxytoluene	0.1 g	F	50
50		perfume q.s.	100 g	•	,0
		water + preservative q.s.p.	100 g		
	EXAMPLÉ 5:	Sun cream	20.0		
		hazelnut oil	20 g 28.3 g	5	55
55		groundnut oil	26.3 g 2.85 g	•	
		magnesium lanolate	2.65 g 6.65 g		
		lanoline alcohol	2 g		
		ozokerite butylhydroxyanisole	2 g 0.1 g		
00		butylhydroxytoluene	0.1 g	6	0
60		sun filter sold under the name	J		
		"parsol ultra" by GIVAUDAN	5 g		
		water + preservative	100 g		
	_	****** * P *******	_		

	EXAMPLE 6:	Make-up foundati hazelnut oil parasol pine oil isopropyl lanolate	15 · 5 ·			5
5		stearic acid self-emulsifiable g stearate	2.6 llycerol 5	g B		Ū
10		triethanolamine sodium lauryl-sulp bentonite butylhydroxyanisc butylhydroxytolue	1.2 bhate 1.7 2.5 ble 0.7	g g g g		10
15	·		q.s. according to the desired tint and the desired covering powive q.s.p.			15
20	and another ve	egetable oil which osition according t	is parasol pine oil or gr o claim 1 in which the	mprises a binary mixture oundnut oil. weight ratio of hazelnut		20
25	oil in the binary mixture is from 20:80 to 80:20. 4. A composition according to any one of the preceding claims in which the said binary mixture represents at least 10% by weight of the total weight of the composition.					25
30	composition being in the form of a solution. 6. A composition according to any one of claims 1 to 4 in which the said binary mixture represents 10 to 60% by weight of the total weight of the composition, the said composition					30
35	being in the form of an emulsion of the water-in-oil or oil-in-water type or in the form of a lotion. 7. A composition according to any one of claims 1 to 4 in which the said binary mixture represents 10 to 80% by weight of the total weight of the composition, the said composition being in the form of a make-up product.					35
40	8. A comp more preserva 9. A comp characteristics unsaponifiable	osition according t tives, sun filters, a osition according t of specific gravity, fraction hereinbef	o any one of the precenti-oxidants, perfumes on any one of the precent refractive index, saporore specified.	ding claims which also con colouring agents. \ ding claims in which the diffication number, iodine as described in any one	oils have the number and	· 40